










| Configurable I/O Definition |                     |           |                    |                       |              |                      |                       |                  |
|-----------------------------|---------------------|-----------|--------------------|-----------------------|--------------|----------------------|-----------------------|------------------|
| No.                         | CBM I/O             | Connector | Definition         |                       |              |                      |                       |                  |
|                             |                     |           | Contract           | Runna                 | P6L (206 SD) | P6L (206HB)          | Runna LX              | Soren            |
| 1                           | Input 1 - Low Side  | 11 - 40B  | Reverse Gear Sw    | Trunk Lid Actuator Sw | ---          | Rear Wiper Sw        | Trunk Lid Actuator Sw |                  |
| 2                           | Input 2 - Low Side  | 30 - 40B  | Boot Lid Open Sw   | Boot Lid Open Sw      |              | Rear Wash Pump       | Boot Lid Open Sw      | Boot Lid Open Sw |
| 3                           | Input 3 - Low Side  | 13 - 40B  | Wiper Auto Stop Sw | ---                   | ---          | Rear Wiper Auto Stop | ---                   | ---              |
| 4                           | Input 4 -Analoge    | 10 - 18W  | Evaporator         | Evaporator            |              |                      | Isolator Sw           | Isolator Sw      |
| 1                           | Output 1 - Low side | 33 - 40B  | Trunk Lid Relay    | Trunk Lid Relay       |              | Rear Wiper Relay     | Trunk Lid Relay       | Trunk Lid Relay  |
| 2                           | Output 2 - Low side | 16 - 40B  | Immo LED           | ---                   | ---          | ---                  | Isolator LED          | ---              |


*Note: Screen Heater Sw & Relay Driver aren't use in Soren.*

SICMA1 15WAYS HEADER




Connector 15 Pin  
White (98315--0010)


SICMA1 15WAYS HEADER



Connector 15 Pin  
Black (98315-0001)



Connector 40 Pin  
Black (0-953118-1)



Connector 18 Pin  
White (2-185529-2)